

**AMENDMENT AND PRESENTATION OF CLAIMS**

Please replace all prior claims in the present application with the following claims, in which claims 4, 9, 14, 19 and 24 are canceled without prejudice or disclaimer, claims 1, 6, 11, 16, 21, 26 and 30 are currently amended, and claims 33 and 34 are newly presented.

1. (Currently Amended) A method of performing an address look-up, the method comprising:  
receiving a query, at a terminal, from a local host requesting address information;  
determining whether the address information is stored in memory;  
transmitting the address information by the terminal to the local host if the address information is stored in the memory; and

forwarding the query over a wide area network via a satellite to a remote computer system to retrieve the address information, if the address information is not stored in the memory, wherein the satellite is remote from the terminal.

2. (Previously Presented) The method according to Claim 1, further comprising:  
updating the address information in memory with the retrieved address information from the remote computer system.

3. (Original) The method according to Claim 1, wherein the query in the receiving step specifies a domain name, and the address information corresponding to the domain name is an Internet Protocol (IP) address.

4. (Canceled) ~~The method according to Claim 1, wherein the wide area network includes a satellite that is configured to forward the query to the remote computer system.~~

5. (Original) The method according to Claim 1, further comprising:  
receiving a multicast message to pre-load the memory with the address information.

6. (Currently Amended) A terminal apparatus for transmitting packets over a wide area network, comprising:

a communication interface configured to receive a query from a local host requesting address information;

a memory configured to store address information; and

a processor coupled to the memory and the communication interface, the processor being configured to determine whether the address information associated with the query is stored in the memory, and to selectively transmit the address information to the local host in response to the determination, the processor being configured to forward the query over the wide area network via a satellite to a remote computer system to retrieve the address information, wherein the satellite is remote from the terminal.

7. (Previously Presented) The terminal apparatus according to Claim 6, wherein the processor is further configured to update the address information in the memory with the retrieved address information from the remote computer system.

8. (Original) The terminal apparatus according to Claim 6, wherein the query specifies a domain name, and the address information corresponding to the domain name is an Internet Protocol (IP) address.

9. (Canceled) ~~The terminal apparatus according to Claim 6, wherein the wide area network includes a satellite that is configured to forward the query to the remote computer system.~~

10. (Original) The terminal apparatus according to Claim 6, wherein the communication interface is configured to receive a multicast message to pre-load the memory with the address information.

11. (Currently Amended) A system for performing an address look-up, comprising:  
a terminal configured to receive a query from a local host requesting address information, the terminal comprising,

a memory configured to store address information, and  
a processor coupled to the memory and configured to determine whether the address information associated with the query is stored in the memory, and to selectively transmit the address information to the local host in response to the determination; and  
a server communicating with the terminal over a wide area network via a satellite, the server being configured to receive the query from the terminal and to transmit the address information corresponding to the query to the terminal, wherein the satellite is remote from the terminal.

12. (Original) The system according to Claim 11, wherein the processor is further configured to update the address information in the memory with the address information from the server.

13. (Original) The system according to Claim 11, wherein the query specifies a domain name, and the address information corresponding to the domain name is an Internet Protocol (IP) address.

14. (Canceled) ~~The system according to Claim 11, wherein the wide area network includes a satellite that is configured to forward the query from the terminal to the server.~~

15. (Original) The system according to Claim 11, wherein the terminal is configured to receive a multicast message to pre-load the memory with the address information.

16. (Currently Amended) A terminal apparatus capable of performing an address look-up, the terminal apparatus comprising:

means for receiving a query from a local host requesting address information;

means for determining whether the address information is stored in memory;

means for transmitting the address information to the local host if the address information is stored in the memory; and

means for forwarding the query over a wide area network via a satellite to a remote computer system to retrieve the address information, if the address information is not stored in the memory, wherein the satellite is remote from the terminal apparatus.

17. (Previously Presented) The terminal apparatus according to Claim 16, further comprising:  
means for updating the address information in memory with the retrieved address information  
from the computer system.

18. (Original) The terminal apparatus according to Claim 16, wherein the query specifies a  
domain name, and the address information corresponding to the domain name is an Internet Protocol (IP)  
address.

19. (Canceled) ~~The terminal apparatus according to Claim 16, wherein the wide area network  
includes a satellite that is configured to forward the query to the computer system.~~

20. (Original) The terminal apparatus according to Claim 16, further comprising:  
means for receiving a multicast message to pre-load the memory with the address information.

21. (Currently Amended) A computer-readable medium carrying one or more sequences of one  
or more instructions for performing an address look-up, the one or more sequences of one or more  
instructions including instructions which, when executed by one or more processors, cause the one or  
more processors to perform the steps of:

receiving a query, at a terminal, from a local host requesting address information;  
determining whether the address information is stored in memory;  
transmitting the address information by the terminal to the local host if the address information is  
stored in the memory; and  
forwarding the query over a wide area network to a remote computer system to retrieve the  
address information, if the address information is not stored in the memory, wherein the satellite is remote  
from the terminal.

22. (Previously Presented) The computer-readable medium according to Claim 21, wherein the  
one or more processors further perform the step of:

updating the address information in memory with the retrieved address information from the remote computer system.

23. (Original) The computer-readable medium according to Claim 21, wherein the query in the receiving step specifies a domain name, and the address information corresponding to the domain name is an Internet Protocol (IP) address.

24. (Canceled) ~~The computer-readable medium according to Claim 21, wherein the wide area network includes a satellite that is configured to forward the query to the remote computer system.~~

25. (Original) The computer-readable medium according to Claim 21, wherein the one or more processors further perform the step of:

receiving a multicast message to pre-load the memory with the address information.

26. (Currently Amended) A method of performing an address look-up over a satellite network including a satellite, the method comprising:

receiving a query, at a satellite terminal, from a local host requesting address information, wherein the satellite terminal is configured to communicate with the satellite;

determining whether the address information is stored in a cache;

transmitting the address information to the local host in response to determining that the address information is stored in the cache; and

selectively forwarding the query over the satellite network to a server to retrieve the address information.

27. (Original) The method according to Claim 26, further comprising:

refreshing the address information in the cache with the retrieved address information from the server.

28. (Original) The method according to Claim 26, wherein the query in the receiving step specifies a domain name, and the address information corresponding to the domain name is an Internet Protocol (IP) address.

29. (Original) The method according to Claim 26, further comprising:  
receiving a multicast message containing a plurality of address information to pre-load the cache.

30. (Currently Amended) A satellite terminal for ~~providing~~ communicating over a satellite to provide address information, comprising:  
a cache configured to store address information; and  
a processor coupled to the memory and configured to determine whether a query from a host requesting a particular address information produces a hit in the cache, wherein a cache hit causes transmission of the address information to the host, the processor being configured to forward the query over ~~a the satellite network~~ to a server to retrieve the particular address information, the cache being updated with the retrieved particular address information.

31. (Original) The terminal according to Claim 30, wherein the query specifies a domain name, and the address information corresponding to the domain name is an Internet Protocol (IP) address.

32. (Original) The terminal apparatus according to Claim 30, wherein the cache is pre-loaded with address information via a multicast message.

33. (New) The method according to Claim 1, wherein the local host is a host resolver, and the remote computer system is a name server.

34. (New) The terminal apparatus according to Claim 6, wherein the local host is a host resolver, and the remote computer system is a name server.